



Table of Contents

Meet the Team	3	Coolant System	10
Build Summary	4	Brakes and Suspension	11
Restoring the 818	5	Driver Controls	12
Drivetrain	7	300ZX Body	13
Fuel System	9	Sponsors	15



TEAM MEMBERS

Subteam Leads

Kandhan Nadarajah Lead Engineer/Engine Lead

Alex Wheeler Transmission Lead

Kyle Socha Safety Lead

Gracie Zhang Coolant System Lead

Gabe Londres Suspension and Braking Lead

Edwin Acosta Fuel Team Lead

Zach Vermuelen Engine Mounting Lead

Brett Patrick Driver Controls Lead

Andrew Knops Bodywork Lead

General Members

Abel Abebe Fuel + Transmission

Carly McCoy Fuel + Transmission

Craig Ackerman Fuel + Transmission

Owen Gil Transmission + Body
Ryan Baker Transmission + Engine

Alex Castrejon Cooling + Engine

John Phan Engine Wiring

Nathan Nichols Engine Wiring + Driver Controls

Additya Hingoo Transmission + Fuel

Kendrick Xuan

Braking and Suspension + Driver Controls

Braking and Suspension + Driver Controls

Noah Singer Braking and Suspension + Driver Controls

Austin Buck Engine Wiring

Jose Rodriguez

Clay Schimdt

Body

Matt Christie Fuel

Thomas Thwaite Transmission
David Knox Body + Engine

Eric Villegas Body



BUILD SUMMARY

Faced with the challenge of a shortened build cycle due to the switching of the competition dates, we chose a build we thought would be manageable for a school semester. The car we brought reflects months of hard work and dedication. The 818zx is a Factory Five 818 kit car with a Nissan 300zx shell that covers a Honda K24 powerplant. This combination of different parts and pieces presented us with a unique challenge, one that we solved through countless hours of analyzing, modeling, and fabricating. The final product is a car we are proud to label with the Georgia Tech logo.









Teardown

Bought for a steal due to fire damage, our 818 frame was a perfect platform to start with for an expedited build cycle. Originally an EV swap, the 818 was equipped with many parts we were able to recoup, leaving half the budget for everything else on the car.






Due to the fire damage, we spent many tedious days removing the waste. Sourcing a new 818 body, we continued forward with our plan to build a capable track weapon.





PREPERATION

In order to prepare the 818 for its eventual engine swap, we stripped it of any and all wires, hoses, and broken EV parts. The result was an ultralight, race-ready chassis, a perfect platform to continue building.








Custom Adapter Plate

K24



Mating Engine to Trans


DRIVETRAIN



Test-fitting Engine

For our drivetrain, we chose a Honda K24 due to its ease of installation, reliability, and parts availability. To mate the K24 to the existing Subaru transaxle, we designed a custom adaptor plate out of welded scrap aluminum.

Shifter




DRIVETRAIN



Engine mounts

To make the engine fit in the 818, we had to make custom engine mounts. We also made custom transmission mounts to accommodate a slightly modified transmission position, which was needed to make room for the engine.





We worked on several cosmetic modifications to the engine. Firstly was to paint the valve cover and intake manifold, and we also created a cool logo bracket to cover the injectors



FUEL SYSTEM


Mounting the Fuel Cell and Pump




Hard Fuel Lines found in the dumpster

We had to fabricate several firewalls around the cabin due to the fuel cell being mounted in the front. We also found some discarded fuel lines in the dumpster from one of the other motorsport teams. We also attempted to use these fuel lines as shifter cable housings, but eventually fabricated a hard linkage.

Fabricating a Firewall








COOLANT SYSTEM

Radiator and Coolant Lines



We found a WRX radiator off of Facebook and used some of the cut up coolant lines from the K24 along with some hard lines that were in the original 818 chassis to create our cooling system




The coolant lines ran from the front of the car, through the firewall and the trans tunnel, until it was eventually connected to the engine in the rear.




BRAKES AND SUSPENSION

Replacing the Brakes

The 818 has brakes from a WRX, but we decided to replace them as the ones on the vehicle were in bad shape.





We also used the original suspension off off the 818, also from a WRX, as that suspension was working just fine for our application.



DRIVER CONTROLS


Modification from stock controls

We made several adjustments to the 818 driver controls to accommodate the K24. We moved the seat and firewall and created a new gas pedal.

We also reused the 818 shifter, finding a combination of 818 cables and square stock due to a portion of the 818 cables being destroyed in the fire.



A custom gauge cluster was added to improve driver sightlines and ergonomics.



300ZX BODY





Body Sourced




Test-fitting after bodywork

In order to maintain our non-exhibition status, we had to source a cheap body with a similar wheelbase to the Factory Five 818. After weeks of searching, we acquired a 1990s Nissan 300zx.



Test-fitting body to frame



Prepping for paint

Fitment

To get the body to fit, we had to cut the front fenders to move the wheel arch back three inches. For our front bumper, we decided to keep the 818 bumper untouched, mounting it to the chassis.

We then blended the body into the bumper, and created some side cards to join the 300zx and 818 body lines.





THANKS TO OUR SPONSORS



Georgia Institute of Technology.



ELEMEN1

ENGINEERING GROUP



















CATERPILLAR

